INDEX MAPS.

T.23 N. R.4 E. 2d Mer.



T.24 N. R.4 E. 2d Mer.



Claim No 8. page

☞ The figures on the lines refer to the page.

Township No. 23 N. Range No. 4 E. 2nd Mer. Indiana.

South Boundy.

Var. 4°43' East

chs. lks.	
N.89°30'E.	On S. Boundy. of Sec. 31
18.50	a W. Ash 8 in. diam.
38.50	a Stream 10 lks. wide co. N.W.
41.10	Set Qr. Sec. post p. wh.
	a Beech 12 in. diam. bs. N.55E. 41 lks. dis.
	a Buckeye 6 " " " S.15W. 23 " "
41.50	a Road N. & S.
58.56	a Beech 12 in. diam.
81.10	Set post Cor. to Secs. 31 & 32 p. wh.
	a Beech 8 in. diam. bs. N.71W. 11 lks. dis.
	a Do 6 " " " N.48E. 52 " "
	Land rolling 1st rate. Beech Sugar Ash. Elm. Oak. Maple. Buckeye Lynn. B. Walnut. Sycamore &c.—
N.89°30'E.	On S. Boundy. of Sec. 32
25.00	a B. Ash 14 in. diam.
26.50	a Road S. S. E.
40.00	Set Qr. Sec. post p. wh.
	a Hickory 8 in. diam. bs. N.30E. 49 lks. dis.
	a Beech 10 " " " S.42W. 34 " "
45.00	Enter B. Ash Swale
54.50	an Elm 14 in. diam.
55.00	a Stream 10 lks. wide co. North
60.00	Leave Swale
80.00	Set post Cor. to Secs. 32 & 33 p. wh.
	a B. Ash 14 in. diam. bs. N.30E. 32 lks. x
	a W. Ash 10 " " " N.32W. 34 "
	Land Level 2nd rate. B. Ash. Elm. Maple. Sycamore. Oak. Beech. Sugar &c— Nov. 20. 1846.—
N.89°30'E.	On S. Boundy. of Sec. 33
13.65	a Sycamore 36 in. diam.

T. 23 N. R. 4 E. 2nd Mer. Indiana

Chs. lks.	
40.00	Set Qr. Sec. post p. wh.
	a Beech 8 in. diam. bs. N. 35 E. 32 lks. d.
	a W. Ash 8 " " " N. 35 W. 36 "
44.15	a Maple 12 " "
70.00	Enter Swamp
80.00	Set post Cor. to Sec. 33 & 34 p. wh.
	a W. Ash 10 in. diam. bs. N. 65 W. 23 lks.
	a W. Oak 12 " " " N. 58 E. 21 "
	Land level 2nd rate. B. Ash. Maple. Oak. Hicky. Elm. Beech. Sugar &c.

N. 89°30' E.	On S. Boundy. of Sec. 34
4.00	Leave Swamp
10.88	a B. Oak 40 in. diam.
40.00	Set Qr. Sec. post p. wh.
	a Beech 18 in. diam. bs. N. 30 E. 18 lks. dis.
	a Do 10 " " " S. 60 W. 8 " "
43.75	a Sycm 10 " "
80.00	Set post Cor. to Sec. 34 & 35 p. wh.
	a B. Ash 7 in. diam. bs. N. 74 W. 15 lks. d
	a W. Ash 8 " " " N. 53 E. 43 "
	Land level 2nd Rate. Elm. B. & W. Ash. Maple. Oak. Sycm. Hicky. Beech. Sugar &c.

N. 89°30' E.	On S. Boundy. of Sec. 35
7.80	a Maple 12 in. diam.
40.00	Set Qr. Sec. post p. wh.
	a Beech 14 in. diam. bs. N. 23 W. 14 lks. d
	a Do 8 " " " S. 10 E. 37 "
42.30	a Do 8 " "
80.00	Set post Cor. to Sec. 35 & 36 p. wh.
	a Beech 12 in. diam. N. 60 W. 29 lks. d
	a Do 10 " " N. 45 E. 64 "

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks.	
	Land slightly rolling 2nd rate Beech. Elm. B. & W. Ash. Maple. Hickory Sycm. Oak. Sugar. &c
N.89°30'E.	On S. Boundy. of Sec. 36. Var. 4°43' East
5.50	a Sugar 14 in. diam.
20.00	Enter Swamp.
40.00	Set 2d. Sec. post p. wh. a B. Ash 7 in. diam. bs. N.35 W. 24 lks. & a Do 7 " " " S.20 E. 11 "
47.00	a Stream 10 lks. wide co. N. E.
68.00	Leave Swamp & Enter Windfall
77.08	an Ironwd. 8 in. diam.
80.00	Set post Cor. to Towns 22 & 23 North & Ranges 4 & 5 East p. wh. a Burr Oak 8 in. diam. bs. S.50 W. 6 lks. & a B. Walnut 7 " " " N.55 W. 36 " Intersected 50 lks. S. of Temp. post Land except Swamp. level 2nd Rate. B. & W. Ash. Elm. Beech. Sugar. Maple. Oak. Hickory, Sycm &c

East Boundy.

Var. 4°43' East

North	On E. Boundy. of Sec. 36.
5.00	Leave Windfall & Enter Swamp.
9.60	a Stream 10 lks. wide co. N. E.
21.40	an Elm 18 in. diam.
25.00	Leave Swamp.
40.00	Set 2d. Sec. post p. wh. a Beech 8 in. diam. bs. S.68 W. 16 lks. dis. a Do 10 " " " N.40 E. 34 " "
55.02	a B. Ash 10 " "
80.00	Set post Cor. to Secs. 25 & 36 p. wh. a Beech 10 in. diam. bs. N.40 W. 34 lks. dis. a W. Ash 16 " " " S.20 W. 43 " "

T.23 N. R.4 E. 2nd Mer. Indiana.

Chs. lks.

Land except Slop. level
2nd Rate. Oak. Elm. Maple. Ash.
Beech. Sycamore. Sugar. Lynn &c

North On E. Boundy. of Sec. 25.
21.73 an Ironwood 6 in. diam.
37.00 a Stream 15 lks. wide co. N.E.
40.00 Set Qr. Sec. post p. wh.
a B. Ash 12 in. diam. bs. S.75 E. 28 lks. d
a W. Ash 12 " " " N.45 W. 12 "
66.83 a B. Ash 12 " "
80.00 Set post Cor. to Sec. 24 & 25 p. wh.
an Elm 14 in. diam. bs. S.21 W. 18 lks. d
a Beech 16 " " " N.30 W. 74 "
Land level 2nd rate Elm.
B. & W. Ash. B. & W. Oak. Maple. Beech. Sugar.
Hickory. Lynn. Walnut &c

North On E. Boundy. of Sec. 24
12.45 a Lynn. 12 in. diam.
40.00 Set Qr. Sec. post in Road E & W. p. wh.
a Beech 8 in. diam. bs. S.70 E. 27 lks. d
a Do 7 " " " N.21 W. 22 "
55.63 an Elm 14 " "
80.00 Set post Cor. to Sec. 13 & 24 p. wh.
a Beech 10 in. diam. bs. S.9 W. 84 lks. d
a Do 12 " " " N.65 W. 62 "
Land level first rate Beech.
Sugar. Oak. Buckeye. B. Walnut.
Ironwood. Oak. Elm. Ash. Hicky. &c

North On E. Boundy. of Sec. 13.
10.16 a Beech 10 in. diam.
40.00 Set Qr. Sec. post p. wh.
a Beech 8 in. diam. bs. S.55 E. 11 lks. d
a Do 8 " " " S.60 W. 12 "

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks.
50.00 a Road N. N. W. (Strawtown Road)
56.40 a W. Ash 16 in. diam.
56.50 a Sluggish Stream 50 lks. wide co. West
80.00 Set Post Cor. to Sec. 12 & 13 fr. wh.
a Beech 18 in. diam. bs. S.22 W. 40 lks. d.
a Do 10 " " " N.24 W. 93 "
Land rolling fine rate
Beech. Ash. Oak. Sugar. Ironwood.
Elm, Maple, Walnut, Hicky. Buck-eye &c

North On E. Boundy. of Sec. 12
29.15 a W. Oak 30 in. diam.
33.00 Enter Swamp.
37.00 Leave Do
40.00 Set Qr. Sec. post fr. wh.
a W. Oak 14 in. diam. bs. S.40 W. 47 lks. d.
a Beech 8 " " " N.75 E. 33 "
49.30 a B. Ash 8 " "
80.00 Set post Cor. to Sec. 1 & 12 fr. wh.
a B. Ash 12 in. diam. bs. N.44 W. 20 lks. dis.
a Beech 8 " " " S.65 W. 48 " "
Land rolling fine rate. Beech.
Sugar. Buckeye. Oak. Walnut. Hicky.
Sycm. Maple. Elm. W & B. Ash &c

North On E. Boundy. of Sec. 1.
17.15 a W. Oak 12 in. diam.
40.00 Set Qr. Sec. post fr. wh.
a Beech 8 in. diam. bs. N.40 W. 37 lks. d.
a W. Ash 6 " " " S.35 W. 17 "
70.13 a Do 12 " "
74.75 Intersected Town Cor. at post
See N. Boundy. for Witnesses
Land Low & wet B. & W. Ash. Beech.
Maple. Sugar. Hicky. Sycm. &c Nov. 21. 1846.

T. 23 N. R. 4 E. 2nd Mer. Indiana.

North Boundy.

Var. 4° 50' E.

chs. lks.	
N. 89° 30' E.	On S. Boundy. of Sec. 31. T. 24 N. R. 4 E.
3.23	a Beech 10 in. diam.
39.68	Set 2nd Sec. post p. wh.
	a Beech 6 in. diam. be. S. 15 E. 11 lks. dis.
	a Do 6 " " " N. 2 W. 7 " "
41.44	a Do 10 " "
78.00	a Road N. W.
79.68	Set post Cor. to Sec. 31 & 32 p. wh.
	a W. Wood 10 in. diam. N. 59 E. 36 lks. d
	a Sugar 8 " " N. 49 W. 38 "
	Land Level first rate Sugar
	Beech. Whitewood, Hickory, W. Ash. Elm.
	Maple. Sycamore. W. & B. Oak. Ironwood
	Undergth. Spice. Beech & P. Ash.

chs. lks.	
N. 89° 30' E.	On S. Boundy. of Sec. 32. T. 24 N. R. 4 E.
3.91	a Lynn 10 in. diam.
41.77	Set 2nd Sec. post p. wh.
	a W. Oak 20 in. diam. be. S. 39 E. 15 lks. d
	an Ironwd. 6 " " " N. 1 W. 30 "
47.06	a B. Oak 24 " "
58.50	Enter Cornfield S. side of Do.
	Extending N. about 6.00
67.50	Leave Do.
80.00	Set post Cor. to Sec. 32 & 33 p. wh.
	a Sugar 18 in. diam. be. N. 20 W. 26 lks. dis.
	a Do 24 " " " N. 38 E. 26 " "
	Land Level & rich - Beech.
	Sugar. Hickory, W. Oak. B. Walnut,
	W. Ash. Elm &c - Undergth. Spice & P. Ash.

chs. lks.	
N. 89° 30' E.	On S. Boundy. of Sec. 33. T. 24 N. R. 4 E.
5.06	a Beech 8 in. diam
15.00	Enter Low B. Ash. Land N. & S.

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Ch. Lks.

40.00 Set 2d Sec. post p. wh.
a Maple 8 in. diam. bs. N.48 W. 17 lks. dis.
a B. Ash 4 " " " N.41 E. 4 " "
45.25 a Sycam 12 " "
55.00 Leave Low Land N. & S.
80.00 Set post Cor. to Sec. 33 & 34 fr. wh.
a Beech 6 in. diam. bs. N.51 W. 53 lks. &
a Do 6 " " " N.30 E. 5 "

Land level first rate. Elm. B. Ash. Hicky. Maple. Sycamore. Sycam. W. & B. Oak. Beech &c. In a wet time suppose this would be called swamp.

N.89°30' E. On S. Boundy. of Sec. 34 T.24 N. R.4 E.
4.83 a Beech 12 in. diam.
33.00 Enter B. Ash Swamp N. & S.
40.10 Set 2d Sec. post p. wh.
a W. Ash 12 in. diam. bs. N.5 E. 49 lks. dis.
a Maple 12 " " " S.10 E. 18 " "
45.18 a W. Ash 12 " "
57.00 Leave Swamp N. & S.
80.00 Set post Cor. to Sec. 34 & 35 p. wh.
a Beech 12 in. diam. bs. N.40 E. 43 lks. &
a Do 12 " " " N.65 W. 40 "

Land except Swamp, gently rolling first rate. Beech. Sugar. Sycam. W. & B. Oak. Ironwood. Whitewood. Mugth. Spice. P. Ash. B. Ash. Sycamore. Sycam. Elm &c

Nov. 10. 1846

N.89°30' E. On S. Boundy. of Sec. 35 T.24 N. R.4 E.
5.83 a Beech 12 in. diam.
27.00 a Road N. & S.
28.00 a Stream 10 lks. wide co. Northerly
32.00 Dry Bed of Stream co. Northerly
40.00 Set 2d Sec. post p. wh.

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.

a Beech 15 in. diam. bs. S.10W. 41 lks. &
a Do 12 " " " N.44E. 11 "
44.28 a W. Ash 12 " "
80.00 Set post Cor. to Secs. 35 & 36 p. wh.
a White Wood 18 in. diam. N.67W. 28 lks &
a Do 10 " " N.53E. 70 "

Land level pine rate. Beech. Sugar. Ironwd. Elm. Whitewood Hicky. &c. Some P. Ash & Spice

---

N.89°30'E. On S. Boundy. of Sec. 36. T. 24 N. R. 4 E.
3.40 a W. Ash 15 in. diam
13.60 a Stream 10 lks. wide co. Northerly
40.00 Set ¼ Sec. post p. wh.
a Whitewood 12 in. diam. N.52W. 14 lks. &
a Do 12 " " S.1E. 21 "
43.60 a W. Ash 12 " "
50.00 a Road N & S. Strawtown to Peru Road
80.00 Set post Cor. to Towns 23 & 24 North Ranges 4 & 5 East in a Stream 10 lks. wide co. N.N.W. p. wh.
a Beech 8 in. diam. bs. S.48W. 35 lks.
a B. Ash 12 " " " N.32W. 43 "

Land level pine rate. rather wet. W & B. Ash. Lynn. Sycamore. Beech. Sugar. Ironwd. Whitewood &c Undgth. P. Ash & Spice.

West Boundy.

Var. 4°50'E.

North On E. Boundy. of Sec. 36. T. 23 N. R. 3 E.
23.33 a Beech 10 in. diam
40.00 Set ¼ Sec. post p. wh.
a B. Ash 8 in. diam. bs. N.58W. 9 lks. &
an Elm 14 " " " S.80E. 17 "
56.65 a Whitewood 30 " "

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.

80.00 Set post Cor. to Sec. 25 & 36 p. wh.
a B. Oak 14 in. diam. bs. S.55 W. 34 lks. &
a Beech 8 " " " N70 W. 6 "
Land Level first rate - Beech.
Sugar. B. Walnut. W. Wood. Hickory
Buckeye. Ironwd. Elm. Ash. &c

North On E. Boundy. of Sec. 25 T.23 N. R.3 E.
14.00 a Stream 6 lks. wide co. E.
23.00 a Hicky. 12 in. diam.
40.00 Set Qr. Sec. post p. wh.
a Buckeye 8 in. diam. bs. N35 W. 17 lks. &
a Do 7 " " " S20 W. 39 "
53.90 an Elm 12 " "
63.25 Enter field
74.00 Leave Do
76.50 a Stream 5 lks. wide co. N. E.
80.00 Set post Cor. to Sec. 24 & 25. p. wh.
a Beech 7 in. diam bs. S.48 W. 4 lks. &
a Do 7 " " " N.30 W. 44 " "
Land Slightly rolling
first rate - Beech. Sugar Ash. Elm
Hickory. B. Walnut. Buckeye &c

North On E. Boundy. of Sec. 24 T.23 N. R.3 E.
21.00 a Beech 8 in. diam.
22.10 a Stream 15 " "
27.50 Enter Field
40.00 Set Qr. Sec. post p. wh.
an Elm 12 in. diam. bs. N.30 W. 18 lks. &
a Beech 14 " " " S.55 E. 51 "
House N. E. about 4.00 & another
about 8.00 West
50.00 Leave Field
68.50 an Ironwood 7 in. diam.
80.00 Enter Field & Set post Cor. to Sec. 13 & 24 p. wh.

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks.	
	a Beech 8 in. diam. bs. S. 30 W. 40 lks. dis.
	a Do 8 " " " S. 66 E. 45 " "
	Land slightly rolling first rate. Beech. Sugar. Ash. Elm. Oak. Buckeye. Sycam. B. Walnut &c.
	Nov. 19. 1846.
North	On E. Boundy. of Sec. 13. T. 23 N. R. 3 E.
9.00	Leave Field
28.75	a Beech 10 in. diam.
40.00	Set ¼ Sec. post fr. wh.
	a Beech 7 in. diam. bs. S. 21 W. 18 lks. &
	a Do 8 " " " N. 40 E. 26 "
60.56	a Buckeye 12 " "
80.00	Set post Cor. to Secs. 12 & 13 fr. wh.
	a Beech 7 in. diam. bs. S. 26 W. 24 lks. &
	a Do 10 " " " N. 85 W. 44 "
	Land level first rate. Hicky. Elm. Sycam. B. Walnut. Ash. Beech. Sugar. Buckeye. Oak. Ironwd. &c.
North	On E. Boundy. of Sec. 12. T. 23 N. R. 3 E.
19.98	a Beech 8 in. diam.
40.00	Set ¼ Sec. post fr. wh.
	a Beech 12 in. diam. bs. S. 32 W. 30 lks. &
	a Do 12 " " " N. 28 W. 46 "
54.75	a Stream 6 lks. wide co. N. E.
57.70	a Beech 18 in. diam.
60.00	Descend Bank 20 feet
69.70	a Stream 40 lks. wide co. W.
80.00	Set post Cor. to Secs. 1 & 12 fr. wh.
	a Sugar 12 in. diam. bs. N. 34 W. 31 lks. &
	a Beech 12 " " " S. 70 W. 44 "
	Land rolling first rate— Beech. Sugar. Sycam. Ash. Hickory Elm. B. Walnut. Oak. Buckeye &c—

T.23 N. R.4 E. 2nd Mer. Indiana

Chs. lks.	
North	On E. Boundy. of Sec. 1. T.23 N. R.3 E.
22.90	a Beech 14 in. diam
40.00	Set 2nd Sec. post p. wh.
	a Beech 14 in. diam bs. N.7 W. 33 lks. d.
	a Do 12 " " " S.32 W. 36 "
46.00	Enter Field
50.00	Leave Do.
51.00	Road from Canton to Kokomo N.N.W.
52.00	a Stream 6 lks. wide co. N.W.
76.85	Intersected Town Cor. at post p. wh.
	a Beech 15 in. diam. bs. S.19 E. 35 lks. d.
	a Do 8 " " " N.41 W. 25 "

Land rolling first rate–
Beech. Elm. Ash. Sugar. Hicky. B. Walnut.
Oak. Buckeye. Sycm &c

Surveyed in 1846. by
John Mullett
Depy. Surveyor–

Subdivision

Var. 4°43' E.

North	Between Sections 35 & 36
17.75	a White Wood 30 in. diam.
40.00	Set 2nd Sec. post p. wh.
	a H. Locust 10 in. diam. bs. S.40 W. 17 lks. d.
	a B. Ash 6 " " " S.72 E. 17 "
63.46	a W. Ash 8 " "
80.00	Set post Cor. to Sec. 25. 26. 35 & 36 p. wh.
	a Beech 10 in. diam. bs. N.50 W. 8 lks. dis.
	a Do 8 " " " S.36 E. 40 " "

Land level wet 2nd Rate Tim.
Small Elms. Ash. Maple. Sycm. Beech.
Oak &c–

N.89°30' E.	On Random Betw. Sec. 25 & 36
80.40	Intersected E. Boundy. 20 lks. N. of post

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.	
	Land Level first rate Timber
	Beech. Sugar. Ash. Elm. Oak.
	P. Ash &c
S.89°30'W	Corrected Betw. Secs. 25 & 36
21.80	an Ironw. 8 in. diam.
40.20	Set Qr. Sec. post p. wh.
	a Burr. Oak 6 in. diam. bs. S.5 W. 49 lks. &
	a Cherry 6 " " " North 22 "
75.70	a Beech 12 " "
80.40	to Sec. Cor.
N. 5' E.	Between Sections 25 & 26
20.30	a Beech 10 in. diam.
40.00	Set Qr. Sec. post p. wh.
	a Lynn 7 in. diam. bs. N.70 W. 25 lks.
	a Beech 10 " " " S.10 E. 23 "
60.75	a Do 8 " "
80.00	Set post Cor. to Secs. 23.24.25.26 p. wh.
	Bearings omitted
	Land Level 2nd rate Beech.
	Ash. Lynn. W. Wood, Ironw. Sugar. Elm,
	Maple. Oak. — Undergth.
	Spice & P. Ash —
N.89°30'E.	On Random Betw. Secs. 24 & 25
80.20	Intersected 10 lks. North of post on
	East Boundary.
	Land Level 2nd rate Timber
	Beech. Hicky. Elm. Oak. Ash. Lynn.
	Maple. P. Ash, &c — First rate Clay Soil —
S.89°30'W	Corrected Betw. Secs. 24 & 25.
20.90	an Elm 8 in. diam.
40.10	Set Qr. Sec. post p. wh.
	a Beech 10 in. diam. bs. S.2 W. 23 lks. &

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.	
	a Beech 4 in. diam. bs. N.45 E. 23 lks &
61.15	a Do 10 " "
80.20	to Sec. Cor.
North	Between Sections 23 & 24
15.40	a Maple 20 in. diam.
36.00	Enter Swamp E. & W.
40.00	Set Qr. Sec. post p. wh.
	an Elm 8 in. diam. bs. S.70 E. 49 lks &
	a W. Ash 10 " " " N.44 W. 74 "
41.00	Leave Swamp E. & W.
80.00	Set post Cor. to Secs. 13.14.23 & 24 p. wh.
	a Beech 8 in. diam. bs. S.83 E. 30 lks &
	a Do 7 " " " N.50 E. 32 " "
	Land Level 2nd Rate — Maple. Oak. Ash. Beech. Sugar. W. Wood. Ironwood. Lynn. Elm. Spice &c—
N.89°30'E.	On Random Betw. Secs. 13 & 24
7.00	a Stream 10 lks. wide co. N.W.
80.00	Intersected E. Boundy. at post
	Land rolling 1st rate — Beech. Sugar. Ash. Elm. Lynn. Maple. Ironw. W. Wood. Spice &c—
S.89°30'W.	Corrected Betw. Secs. 13 & 24
23.00	an Ironwood 8 in. diam.
40.00	Set Qr. Sec. post p. wh.
	a Beech 6 in. diam. bs. S.5 W. 27 lks. dis
	a W. Ash 8 " " " N.35 E. 20 " "
63.30	a Hicky. 10 " "
80.00	to Sec. Cor. Jany. 6. 1847
North	Between Sections 13 & 14.
16.00	a Lynn 14 in. diam.
40.00	Set Qr. Sec. post p. wh.

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks.
a Beech 12 in. diam. Due West 11 lks. &
a Do 12 " " " S.40 E.19 "
53.50 Enter Field E & W. 1.00 W. 10.00 E.
60.00 a House 1.00 East
62.00 Leave Field
66.02 a Cherry 6 in. diam.
80.00 Set post Cor. to Secs. 11.12.13.14 p. wh.
a W. Ash 12 in. diam. N.15 W. 15 lks. &
a Maple 12 " " S.9 E.27 "
Land level 2nd Rate. Ash.
Elm. Beech. Sugar. Lynn. Hickory,
Sycamore, Oak &c—

N.89.19 E. On Random Betw. Secs. 12 & 13
.50 a Stream 60 lks. wide co. N.W
75.00 a Road N & S.-(Strawtown & Peru)
80.18 Intersected E. Boundy. 10 lks. N. of post
Land slightly rolling 2nd Rate
Beech. Sugar. Oak. Ash. Elm. Maple
Lynn. Sycamore &c—

S.89.19 W. Corrected Betw. Secs. 12 & 13
20.55 a Beech 8 in. diam.
40.09 Set ¼ Sec. post p. wh.
a Beech 12 in. diam. N.30 W.44 lks. &
a Do 9 " " " S.17 E.26 "
60.20 a Sugar 18 " "
80.18 to Sec. Cor.

North Between Sections 11 & 12
1.00 a Stream 70 lks. wide co. N.W.
9.00 a Small House 2.00 East
17.70 a Beech 9 in. diam
20.50 a Sluggish Stream 30 lks. wide co. S.W.
40.00 Set ¼ Sec. post p. wh.
a Beech 17 in. diam. N.35 W.40 lks. &

T. 23 N. R 4 E. 2nd Mer. Indiana

chs. lks	
	a W. Ash 9 in. diam. bs. S.12 E. 12 lks. &
55.34	an Elm 18 " "
80.00	Set post Cor. to Sec. 1. 2. 11. 12. fr. wh.
	a B. Ash 9 in. diam. bs. N.32 W. 35 lks.
	an Elm 20 " " " S.71 E. 25 "
	Land mostly wet 2nd rate
	Elm. Ash. Hickory. Beech. Sugar.
	Oak. P. Ash. & Spice
N.89°30'E.	On Random Betw. Sec. 1 & 12
61.75	a Road S.S.E. (Peru to Strawtown)
79.94	Intersected E. Boundy. 10 lks. S. of post
	Land level wet 2nd rate
	Beech. Sugar. Ash. Elm. Lynn.
	W. Wood. Oak. Ironwd. &c
S.89°30'W.	Corrected Betw. Sec. 1 & 12
22.20	a Beech 8 in. diam.
39.97	Set Qr. Sec. post fr. wh.
	a Beech 7 in. diam. bs. S.58 W. 40 lks. &
	a Do 10 " " " N.35 E. 82 " "
60.75	a W. Oak 14 " "
79.94	to Sec. Cor.
North	Between Sections 1 & 2
9.63	a Beech 12 in. diam
40.00	Set Qr. Sec. post fr. wh.
	a Beech 8 in. diam. bs. S.65 E. 39 lks. &
	a Do 10 " " " N.54 W. 38 "
59.20	a W. Oak 12 " "
75.10	Intersected N. Boundy. at post fr. wh.
	a Beech 8 in. diam. bs. S.17 E. 20 lks. &
	a Do 7 " " " S.44 W. 62 "
	Land level first rate Beech.
	Sugar. Lynn. Ash. Elm. Maple. Oak.
	Lynn. Hickoy. Sycamore &c Jany. 7. 1847.—

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.	
North	Between Sections 34 & 35
4.06	a Maple 10 in. diam.
40.00	Set 2d. Sec. post p. wh.
	a Maple 8 in. diam. bs. N. 85 E. 83 lks.
	a Beech 8 " " " N. 85 W. 33 "
44.63	a Do 10 " "
80.00	Set post Cor. to Sec. 26. 27. 34 35 lks. &
	a B. Ash 10 in. diam. bs. S. 30 W. 11 lks.
	a Beech 10 " " " N. 15 W. 60 "
	Land Level & rich 2nd rate—
	B. & W. Ash. Elm. Maple. Beech. Hicky.
	Sym. Sugar. Sycamore &c—

N. 89.30 E.	On Random Betwn. Sec. 26 & 35
79.80	Intersected N. & S. Line 25 lks. N. of post
	Land Level 2nd Rate Beech.
	Elm. Sugar. Maple. B. & W. Ash. Sym.
	Hickory. W. Wood. Ironwd. &c

S. 89.30 W.	Corrected Betwn. Sec. 26 & 35
14.50	a Beech 8 in. diam.
39.90	Set 2d. Sec. post p. wh.
	a Sym. 6 in. diam. bs. N. 36 E. 30 lks. &
	a Sugar 12 " " " S. 5 E. 28 "
79.80	to Sec. Cor.

North	Between Sections 26 & 27
20.65	a Sym. 10 in. diam.
40.00	Set 2d. Sec. post p. wh.
	a Beech 4 in. diam. bs. S. 40 E. 23 lks. &
	a W. Beech 6 " " " N. 85 W. 22 "
53.40	an Elm 12 " "
80.00	Set post Cor. to Sec. 22. 23. 26 & 27 p. wh.
	a Beech 12 in. diam. bs. S. 40 W. 48 lks.
	a Do 12 " " " S. 45 E. 26 "
	Land level 2nd rate— Timber

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Chs. Lks.	
	Beech. Sugar. Bk. & W. Ash. Elm. Lynn.
	Maple. Hickory. Ironwd. &c
N.89°30'E.	On Random Betw. Secs. 23 & 26
80.00	Intersected N & S. Line 20 lks. N. of post
	Land Level 2nd Rate - Clay Soil.
	Beech. Ash. Elm. Lynn. Maple. Oak.
	Sugar. Ironwood. Hicky. W. Wood &c
S.89°30'W.	Corrected Betw. Secs. 23 & 26.
20.65	a W. Oak 40 in. diam.
40.00	Set Qr. Sec. post f. wh.
	a Beech 8 in. diam. bs. N.20W. 81 lks. &
	a Do 7 " " " S.30W. 62 "
66.82	a Cherry 8 " "
80.00	to Sec. Cor.
North	Between Sections 22 & 23
18.64	a Birch 10 in. diam.
40.00	Set Qr. Sec. post f. wh.
	a Beech 8 in. diam. bs. N.25W. 17 lks. &
	a Do 7 " " " S.40E. 13 "
66.40	a Do 12 " "
80.00	Set post Cor. to Secs. 14. 15. 22 & 23 f. wh.
	a Beech 14 in. diam. bs. S.20E. 20 lks. &
	a Do 10 " " " N.50W. 50 "
	Land Level first rate - Beech.
	Sugar. Ash. Oak. Ironwd. Elm. Maple.
	Hickory. W. Wood &c
N.89°30'E.	On Random Betw. Secs. 14 & 23
10.00	a Stream 8 lks. wide co. N.E.
80.24	Intersected N & S. Line 8 lks. S. of post
	Land Level first rate - Beech.
	Sugar. Ash. Elm. Oak. Hicky. Lynn.
	Buckeye &c

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.	
N.89°30'W.	Corrected Betw. Sec. 14 & 23
15.29	a Lynn 6 in. diam.
40.12	Set 2nd Sec. post p. wh.
	an Elm, 10 in. diam. br. N.60E. 25 lks. &
	a W. Ash 6 " " " S.75W. 13 "
61.90	a Beech 10 " "
80.24	to Sec. Cor. Jany. 8. 1847

North	Between Sections 14 & 15
9.00	a Stream 3 lks. wide co. N.W.
10.00	Enter Field E. & W. 6.00 E. & 4.00 W.
20.00	Leave Do
27.00	a Sugar 9 in. diam.
40.00	Set 2nd Sec. post p. wh.
	a Beech 7 in. diam. br. N.83W. 26 lks. &
	a Do 7 " " " N.45E. 30 "
54.00	a Spring Brook 3 lks. wide co. N.W.
58.68	a Sugar 16 in. diam.
68.00	a Stream 30 lks. wide co. West
71.00	Enter Field Extends 8.00 E. & 4.00 W.
75.00	a House about 8.00 East
80.00	Set post Cor. to Sec. 10.11.14.15 p. wh.
	a Sugar 18 in. diam. br. N.82E. 36 lks. &
	a Beech 12 " " " N.50W. 93 "
	Land rolling first rate
	Beech, Sugar, Oak, Walnut, Ash
	Hickory, Elm, Maple Lynn &c.

N.89°30'E.	On Random Betw. Sec. 11 & 14
22.00	Leave Field N.E.
30.00	Northern Bend of Stream
52.00	a Stream Sluggish, 10 lks. wide co. S.W.
79.86	Intersected N. & S. Line 30 lks. N. of post
	Land Level wet first rate soil
	Ash, Buckeye, Beech, Sugar, Lynn,
	Maple &c.

T. 23 N. R 4 E. 2nd Mer. Indiana.

chs. lks.	
S.89.30W.	Corrected betw. Sec. 11 & 14
21.46	a Beech 14 in. diam.
39.93	Set Qr. Sec. post fr. wh.
	a W. Ash 12 in. diam. bs. N.66W. 49 lks.
	an Elm 10 " " " S.12W. 21 "
79.86	to Sec. Cor.
North	Between Sections 10 & 11
.50	Leave Field
20.77	a Sugar 16 in. diam.
40.00	Set Qr. Sec. post fr. wh.
	a Beech 24 in. diam. bs. S.42E. 48 lks. d
	an Ironwd. 7 " " " N.57W. 31 "
55.40	a Sugar 18 " "
80.00	Set post Cor. to Sec. 2.3.10.11 fr. wh.
	a Beech 6 in. diam. bs. N.40E. 5 lks. d
	a Do 12 " " " S.40W. 25 "
	Land Level 2nd Rate – Sugar.
	Beech. Elm. Ash. Sycamore, W. Wood,
	Hickory Lynn – Spice &c –
N.89.30E.	On Random Betw. Sec. 2 & 11
79.90	Intersected N & S. Line 15 lks. N. of post
	Land Level first rate
	Beech. Sugar. Ash. Oak. Elm. Maple,
	Hickory. Lynn. Buckeye. &c –
S.89.30W.	Corrected Betw. Sec. 2 & 11
19.27	a B. Ash 9 in. diam.
39.95	Set Qr. Sec. post fr. wh.
	a Beech 10 in. diam. bs. N.12W. 40 lks. dis.
	a Sw. Oak 8 " " " S.8W. 25 " "
68.07	a Beech 10 " "
79.90	to Sec. Cor.
North	Between Sections 2 & 3

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.
20.20 a Sycm 18 in. diam
40.00 Set Qr. Sec. post fr. wh.
a B. Ash 9 in. diam. Bs. S.34E. 9 lks. dis.
an Elm 16 " " " S.53W. 20 " "
60.90 a W. Wood 40 " "
75.62 Intersected N. Boundy. at post fr. wh.
a Beech 10 in. diam. Bs. S.73E. 26 lks. d
a Do 30 " " " S.32W. 60 "
Land Level first rate Timber
Beech. Sugar. Oak. Ash. Elm. Sycm.
Maple. Hickory. Buckeye &c
Janu. 9. 1847

North Between Sections 33 & 34
20.55 a Sugar 10 in. diam.
40.00 Set Qr. Sec. post fr. wh.
a Sycm 8 in. diam. Bs. N.88E. 20 lks. dis.
a Beech 6 " " " N.80W. 45 " .
59.95 a Maple 20 " "
80.00 Set post Cor. to Sec. 27. 28. 33. 34. fr. wh.
a Beech 10 in. diam. Bs. S.70W. 26 lks. d
" Do. 12 " " " S.70E. 10 "
Land Level first rate Timber
Beech. Sugar. Oak. Elm. Ash. Sycm.
Maple. Hicky. Buckeye &c

N.89°30'E. On Random Betw. Sec. 27 & 34
79.94 Intersected N. & S. Line 20 lks. S. of post
Land Level 2nd Rate Timber
Elm. Ash. Beech. Sugar. Hickory.
Oak. Maple. Sycm &c

S.89°30'W. Corrected Betwn. Sec. 27 & 34
27.70 a W. Ash. 40. in. diam
39.97 Set Qr. Sec. post fr. wh.
a Beech 8 in. diam. Bs. S.49E. 5 lks. d

Contd

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks.	
	a Beech 8 in. diam. bs. N 40 W. 21 lks. x
58.42	a Do 8 " "
79.94	to Sec. Cor.
North	Between Sections 27 & 28
20.95	a Beech 10 in. diam.
40.00	Set ¼ Sec. post fr. wh.
	a Beech 7 in. diam. bs. S. 30 W. 5 lks. dis.
	a Do 7 " " " S. 35 E. 26 " "
52.45	an Elm 14 " "
80.00	Set post Cor. to Secs. 21. 22. 27. 28 fr. wh.
	a Beech 8 in. diam. bs. N. 36 W. 43 lks. x
	a Do 10 " " " S. 47 E. 39 "
	Land Level 1st rate. Tim. Beech. Sugar. Elm. Oak. Hicky. Ash Maple. Lynn. Buckeye &c
N. 89° 30' E.	On Random Betw. Secs. 22 & 27
79.74	Intersected N & S. Line at post
	Land Level 1st rate Clay Soil – Beech. Ash. Elm. Sugar. Hicky. Maple. Oak. Lynn. &c
S. 89° 36' W.	Corrected Betw. Secs. 22 & 27.
11.90	an Elm 12 in. diam.
39.87	Set ¼ Sec. post fr. wh.
	a Beech 7 in. diam. bs. S. 45 W. 10 lks. x
	a Do 7 " " " N. 75 W. 23 "
59.60	a W. Ash 12 " "
79.74	to Sec. Cor.
North	Between Sections 21 & 22
22.05	a B. Ash 8 in. diam.
39.00	a Stream 6 lks. wide co. N. W.
40.00	Set ¼ Sec. post fr. wh.
	a Beech 8 in. diam. bs. N. 5 W. 34 lks. dis.

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks.	
	an Ironwd. 6 in. diam. b. S. 70 E. 40 lks. x
57.50	a Beech 14 " "
80.00	Set post Cor. to Secs. 15. 16. 21. 22 fr. wh.
	a Beech 10 in. diam. b. N 45 E. 30 lks. x
	a Do 10 " " " S 40 W. 40 "
	Land level first rate Clay soil - Beech. Ash. Elm. Oak. Sycam. Sugar. Hickory. Maple &c

---

N. 89°30' E.	On Random Betwn. Secs. 15 & 22
79.00	a Stream 8 lks. wide co. North
79.80	Intersected N & S. Line 18 lks. S. of post
	Land level first rate Beech. Sugar. Ash. Elm. Hicky. Walnut. Sycam. Oak. Buckeye. Maple &c —

S. 89°30' W.	Corrected Betwn. Secs. 15 & 22
20.70	an Elm 30 in. diam
39.90	Set 2d. Sec. post fr. wh.
	a Beech 10 in. diam. b. S 24 E. 20 lks. x
	a Do 10 " " " N 40 W. 15 "
61.45	a Hicky. 8 "
79.80	to Sec. Cor. Jany. 10. 1847

North	Between Sections 15 & 16
8.00	Enter field - Extends 3.00 W & 8.00 E.
18.00	Leave Do - a House 5.00 East
19.10	an Elm 16 in. diam.
36.00	Descend Bank 15 feet
37.50	a Stream 60 lks. wide co. West
40.00	Set 2d. Sec. post fr. wh.
	a Beech 24 in. diam. N 25 W. 36 lks. x
	a Do 14 " " N. 6 E. 34 "
42.00	Ascend Bank 15 feet
54.04	a Beech 18 in. diam.
80.00	Set post 4 Cor. to Secs. 9. 10. 15. 16. fr. wh.

T. 23 N. R 4 E. 2nd Mer. Indiana.

Chs. lks.

a Beech 14 in. diam. bs. N. 10 W. 34 lks.
a Do 18 " " " S. 41 E. 28 "
Land rolling first rate –
Timber Beech. Sugar. Oak. Hickory
Elm. Maple. Ash. Sym– Spice &c

N. 89.30 E. On Random Betw. Secs. 10 & 15
78.00 Enter Field W. S. W.
80.00 Intersected N & S. Line 20 lks. S. of post
Land rolling first rate –
Beech. Sugar. Ash. Elm. Oak. Maple.
Sym. Hickory. Maple. Buckeye &c

S. 89°30 W. Corrected Betw. Secs. 10 & 15
18.80 a Buckeye 9 in. diam.
40.00 Set ¼ Sec. post f. wh.
a Beech 7 in. diam. bs. N. 16 W. 33 lks.
a Do 14 " " " S. 87 W. 28 "
59.00 a Do 12 " "
80.00 to Sec. Cor.

North Between Sections 9 & 10
16.25 a Maple 12 in. diam.
40.00 Set ¼ Sec. post f. wh.
a Beech 14 in. diam N. 61 E. 12 lks. &
a Do 14 " " S. 86 W. 36 "
60.66 a Do 10 " "
80.00 Set post Cor. to Sec. 3.4.9.10 f. wh.
a Beech 12 in. diam. bs. S. 10 E. 12 lks.
a Do 9 " " " N. 53 W. 57 "
Land level first rate Timber
Beech. Sugar. Elm. Ash. Oak. Hicky.
Maple. Symm. Buckeye &c

N. 89°30 E. On Random Betw. Secs. 3 & 10
80.20 Intersected N & S. Boundary 15 lks. N. of post

338. T. 23 N. R. 4 E. 2nd Mer. Indiana

chs. lks.

Land Level first rate—Beech.
Sugar. Ash. Elm. Maple. Oak. Hicky.
Lynn. Sycamore. Buckeye &c

S.89°.30'W. Corrected Betw. Sec. 3 & 10
20.03 a Sugar 18 in. diam.
40.10 Set Qr. Sec. post fr. wh.
a Beech 16 in. diam. bs. N.39 W. 20 lks.
a Do 9 " " " S.15 E. 7 "
59.60 a W. Ash 6 " "
80.20 to Sec. Cor. Jany. 11. 1847

North Between Sections 3 & 4
20.46 a Cottonwood 18 in. diam.
40.00 Set Qr. Sec. post fr. wh.
a Beech 6 in. diam. bs. S.16 W. 17 lks. &
a Buckeye 6 " " " S.49 E. 20 "
60.75 a W. Oak 18 " "
76.20 Intersected N. Boundy. at post fr. wh.
a Beech 7 in. diam. bs. S.70 W. 10 lks.
a Do 7 " " " S.34 E. 18 "
Land Level & and 2nd Rate—
Beech. Ash. Elm. Hicky. Maple. Oak.
Sycamore. Cottonwd. Lynn. Buckeye &c.

North Between Sections 32 & 33
22.10 a Beech 8 in. diam.
40.00 Set Qr. Sec. post fr. wh.
a Beech 12 in. diam. S.80 W. 4 lks. &
a Do 8 " " N.31 E. 36 "
60.40 an Elm 10 " "
80.00 Set post Cor. to Sec. 28.29.32.33. fr. wh.
a Beech 8 in. diam. bs. N.50 W. 40 lks. dis
a Do 7 " " " S.78 E. 38 " "
Land Level 2nd Rate—Timber
Ash. Elm. Oak. Sycamore. Beech.

Chs. Lks.

Sugar. Lynn. Hicky. Maple &c

N 89°30' E. On Random Betw. Sec. 28 & 33
80.10 Intersected & S. Line 18 lks. N. of post
Land Level first rate - Timber
Beech. Sugar. Ash. Oak. Hicky. Elm.
Lynn. Maple. Buckeye Spice &c

S 89°30' W. Corrected Betw. Sec. 28 & 33 -
17.20 a Beech 10 in. diam.
40.05 Set ¼ Sec. post p. wh.
a Beech 10 in. diam. bs. N 10 W. 10 Lks. dis.
a Do 10 " " " S 80 E. 17 " "
57.85 a Lynn 10 " "
80.10 to Sec. Cor.

North Between Sections 28 & 29
19.55 a Beech 10 in. diam.
28.50 a Stream 10 lks. wide co. N.W.
40.00 Set ¼ Sec. post p. wh.
a Beech 7 in. diam. bs. S 35 E. 25 lks.
a Lynn 7 " " " N 25 W. 13 "
53.00 a Stream 10 lks. wide co. East
57.62 a Sugar 12 in. diam.
75.00 a Stream 15 lks. wide co. N.W.
80.00 Set post Cor. to Secs. 20. 21. 28. 29 p. wh.
a Beech 8 in. diam. bs. N 50 E. 24 lks. d
a Do 10 " " " N 35 W. 36 "
Land Level first rate Beech
Sugar. Ash. Elm. Walnut. W. Wood
Lynn. Ironw. Oak. Maple &c -

N 89°30' E. On Random Betw. Sec. 21 & 28
80.10 Intersected N & S. Line 14 lks. N. of post
Land Level. soil & timber Same -

T.23 N. R 4 E. 2nd Mer. Indiana

ch. lks.	
N.89°30'E.	Corrected Betw. Sec. 21 & 28.
18.20	an Elm 12 in. diam.
40.05	Set 2d Sec. post p. wh.
	a W. Oak 8 in. diam. bs. N.35 E. 21 lks.
	a Hicky. 6 " " " S.48 E. 17 "
63.20	an Elm 18 " "
80.10	to Sec. Cor.

North	Between Sections 20 & 21
12.68	a W. Ash 12 in. diam.
40.00	Set 2d Sec. post p. wh.
	a Beech 8 in. diam. bs. S.80 W. 29 lks. &
	a Do 8 " " " N.70 E. 37 "
50.00	a Stream 15 lks. wide co. N.W.
57.60	a Beech 10 in. diam.
60.00	a Stream 15 lks. wide co. N.N.E.
78.00	Enter field E. & W.
80.00	Set post Cor. to Sec. 16.17.20.21 p. wh.
	a Beech 14 in. diam. S.25 W. 34 lks. &
	a Hicky. 12 " " N.25 E. 23 "

Land rolling first rate —
Sugar. Beech. Oak. Walnut. Elm.
Ash. Sycm. W. Wood. Ironwd. &c

N.89°30'E.	On Random Betw. 16 & 21
11.00	Leave Field N. & S.
17.50	a Stream 15 lks. wide co. N.N.W.
80.18	Intersected N. & S. Line 20 lks. N. of post

Land rolling first rate — Timber
Beech. Sugar. Ash. Elm. Maple. Oak.
Hickory W. Wood. Ironwd. Sycm.
Buckeye &c —

N.89°30'W.	Corrected Betw. Sec. 16 & 21.
20.54	an Elm 10 in. diam.
40.09	Set 2d Sec. post p. wh.

T.23 N. R.4 E. 2nd Mer. Indiana.

Chs. Lks.	
	a W. Ash 10 in. diam. bs. S.65 W. 24 lks. dis.
	a B. Ash 6 " " " N.20 E. 11 " "
59.80	a Hicky. 8 " "
80.18	to Sec. Cor. Jany. 12. 1847

North	Between Sections 16 & 17
18.00	Leave Field
19.20	Descend 15 feet to Stream 2 c. W.
24.00	Ascend Bank 15 feet
24.23	a W. Wood 14 in. diam.
34.00	Descend Bank 15 feet
36.50	a Stream 60 lks. wide co. W.
40.00	Set 1/4 Sec. post fr. wh.
	a Beech 14 in. diam. bs. S.21 W. 54 lks.
	a W. Ash 14 " " " N.22 E. 4 "
42.00	Enter Field
43.00	Ascend Bank 15 feet
50.00	Leave Field - House 4.00 East
56.70	a Spring Brook 3 lks. wide co. W.
61.27	a Beech 18 in. diam.
80.00	Set post Cor. to Secs. 8. 9. 16. 17 fr. wh.
	a Beech 10 in. diam. bs. N.61 W. 12 lks.
	a Do 14 " " " S.53 E. 30 "
	Land rolling first rate Timber Sugar. Beech. Ash. Elm. Maple. Hicky. Oak. W. Wood. Ironwd. &c –

N.89°30'E.	On Random Betwn. Secs. 9 & 16
14.00	a Road N.E. & S.W.
80.24	Intersected N. & S. Line 8 lks. N. of post
	Land Level first rate Sugar. Beech. Ash. Oak. Elm. Hicky. W. Wood Walnut. Ironwd. Lynn. Sycamore. Maple &c –

S.89.30 W.	Corrected Betwn. Secs. 9 & 16 –

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Chs. Lks.	
20.02	a Beech 6 in. diam.
40.12	Set 2d Sec. post p. wh.
	a Beech 8 in. diam. bs. N. 76 W. 16 lks. x
	a Do 6 " " " S. 82 E. 13 "
60.26	a Do 10 " "
80.24	to Sec. Cor.

North	Between Sec. 8 & 9.
17.00	a Sugar 30 in. diam.
21.00	a Spring Brook co. 3. S. W.
40.00	Set 2d Sec. post p. wh.
	a Beech 9 in. diam. bs. N. 41 E. 43 lks.
	a Do 8 " " " S. 67 W. 14 "
61.45	a Do 10 " "
72.00	Enter B. Ash Swale E & W.
80.00	Set post Cor. to Secs. 4. 5. 8. 9 p. wh.
	an Elm 16 in. diam. bs. N. 51 E. 27 lks. x
	a W. Oak 16 " " " S. 59 W. 17 "
	Land level first rate Timber
	Sugar. Beech. Ash. Oak. Lynn. Hicky.
	Maple. Walnut. Spice &c

N. 89°30' E.	On Random Betw. Sec. 4 & 9
3.50	Leave B. Ash Swale
80.28	Intersected N & S. Line at post
	Land level 2nd Rate
	Elm. Ash. Beech. Maple. Sugar.
	Hicky. Lynn. Sycamore &c

S. 89°30' W.	Corrected Betw. Sec. 4 & 9
31.16	a Beech 8 in. diam.
40.14	Set 2d Sec. post p. wh.
	a Beech 14 in. diam. bs. S. 14 E. 8 lks. x
	a Buckeye 10 " " " N. 10 E. 43 "
60.00	a Beech 10 " "
80.28	to Sec. Cor.

T.23 N. R.4 E. 2nd Mer. Indiana.

Chs. lks.

North Between Sections 4 & 5.
4.00 Leave Swale
20.08 a Lynn 9 in. diam.
40.00 Set 2d. Sec. post fr. wh.
an Elm 14 in. diam. bs. N.26 W. 43 lks.
a Buckeye 9 " " " S.59 E. 31 "
59.46 a W. Oak 30 " "
76.61 Intersected N. Boundy. at post fr. wh.
a Beech 8 in. diam. bs. S.38 W. 30 lks. x
a Do 12 " " " S.35 E. 58 "
Land level 2nd rate Timber
Beech. Sugar. Ash. Elm. Hickory,
Maple. Oak. Buckeye, W. Wood, Lynn,
Sycamore &c. Jany. 13. 1847.

North Between Sections 31 & 32
25.60 a Beech 7 in. diam.
31.50 a Stream 15 lks. wide co. N.E.
40.00 Set 2d. Sec. post fr. wh.
a Beech 12 in. diam. bs. N.21 W. 22 lks.
a Do 18 " " " S.74 E. 27 "
56.97 a Do 14 " "
54.50 a Stream 10 lks. wide co. W.
57.00 a Do 25 " " " W.
80.00 Set post Cor. to Secs. 29. 30. 31. 32 fr. wh.
a Beech 12 in. diam. bs. N.35 W. 24 lks.
a Do 10 " " " S.54 E. 46 "
Land rolling first rate
Beech. Elm. Ash. Lynn. Hickory,
Sugar. Buckeye. Maple. W. Wood,
Ironwood. Walnut &c.

N.89°30'E. On Random Betwn. Secs. 29 & 32
41.00 a Road from Canton to Kokomo
79.94 Intersected N. & S. Line at post

T. 23 N. R. 4 E. 2d Mer. Indiana.

Chs. lks.	
	Land level first rate - Timber Beech. Sugar. Oak. Ash. Elm. Maple. Buckeye. Walnut. Hickoy. Lynn. W. Wood, Ironwood &c
S. 89°30' W.	Corrected Betw. Secs. 29 & 32
14.70	a Beech 8 in. diam.
39.97	Set 2d Sec. post fr. wh.
	a Beech 8 in. diam. bs. N. 25 W. 22 lks. x
	a Do 8 " " " S. 60 W. 20 "
60.10	an Elm 14 " "
79.94	to Sec. Cor.
S. 89°30' W.	On Random Betw. Secs. 30 & 31
8.50	a Stream 20 lks. wide co. North
32.00	a Road N. W.
37.50	a Stream 10 lks. wide co. North
80.80	Intersected W. Boundy. 20 lks. N. of post
	Land rolling first rate - Beech. Sugar. Oak. Walnut, White Wood, Lynn. Ash. Hicky. Elm, Maple. Buckeye. Ironwood &c
N. 89°30' E.	Corrected Betw. Secs. 30 & 31
	a Beech 10 in. diam. bs. S. 10 E. 55 lks. x
	a Sugar 12 " " " N. 44 E. 68 "
20.38	a W. Oak 18 " "
40.80	Set 2d Sec. post fr. wh.
	a Beech 14 in. diam. bs. N. 52 E. 19 lks. x
	a Do 18 " " " S. 19 W. 39 "
80.80	to Sec. Cor.
North	Between Sections 29 & 30
13.50	a Stream 8 lks. wide co. S. W.
21.18	a Sugar 14 in. diam.
40.00	Set 2d Sec. post fr. wh.

T.23 N. R.4 E. 2nd Mer. Indiana.

Chs. lks.

40.00 Set ¼ Sec. post p. wh.
a Lynn. 9 in diam bs. N47W. 22 lks. &
a W. Ash 8 " " " S.48 E. 36 "
64.18 an Elm 16 " "
80.00 Set post Cor. to Sec. 19.20.29.30 p. wh.
a Beech 8 in. diam. bs. N.47W. 42 lks.
a Do 8 " " " S.68 E. 28 "
Land rolling first rate
Clay soil - Sugar. Beech. Ash Elm. Oak.
Walnut. White wood. Lynn.
Hicky. Maple. Ironwd. Buckeye &c

N.89.30E. On Random Betw. Sec. 20 & 29
52.00 a Road N.N.W. from Canton to Kokomo.
76.50 a Stream 20 lks. wide co. N.W.
80.16 Intersected N & S. Line 20 lks. N. of post
Land rolling first rate -
soil and timber same as last mile

S.89.30W. Corrected Between Sec. 20 & 29
7.40 an Elm 14 in. diam
40.08 Set ¼ Sec. post p. wh.
a Beech 14 in. diam. bs. S35E 20 lks.
a Do 14 " " " N.50W.42 "
60.38 an Elm 10 "
80.16 to Sec. Cor. Jany. 14. 1847

S.89.30W. On Random Betw. Sec. 19 & 30
58.50 a Stream 25 lks. wide co. N.W.
60.50 Same co. S.W.
68.00 Same co. N.W.
80.30 Intersected West Boundy. 15 lks. N. of post
Land rolling first rate -
Sugar. Beech. Ash. Elm. Maple. Oak.
Walnut. White Wood. Hicky. Ironwd. &c.

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks	
N. 89°30' E.	Correction Betw. Sec. 19 & 30.
	a Beech 10 in. diam. b. N. 20 E. 60 lks.
	a Sugar 2 " " " S. 56 E. 49 "
21.20	a Sycamore 10 " "
40.30	Set 2d Sec. post p. wh.
	a Beech 8 in. diam. b. N. 5 E. 15 lks &
	a Do 20 " " " S. 20 E. 17 "
59.90	a Sugar 20 " "
80.30	to Sec. Cor.
North	Between Sections 19 & 20
17.85	a Beech 7 in. diam.
22.50	a Stream 6 lks. wide co. N. E.
40.00	Set 2d Sec. post p. wh.
	a W. Ash 9 in. diam. b. N. 13 W. 22 lks.
	a Sugar 9 " " " S. 24 W. 22 "
57.76	a Beech 8 " "
80.00	Set Post Cor. to Secs. 17. 18. 19. 20 p. wh.
	a Beech 12 in. diam. b. N. 68 W. 36 lks. &
	a Sycm 9 " " " S. 13 E. 43.
	Land level first rate
	Clay soil – Sugar. Beech. Ash. Elm. Maple. Oak. Hicky. W. Wood. Ironwd. Sycm. B. Walnut –
N. 89°30' E.	On Random Betw. Sec. 17 & 20
24.00	Road from Canton to Kokomo N. N. W.
78.00	Enter field N. & S.
80.20	Intersection N. & S. Line 14 lks. S. of post
	Land level first rate
	Clay soil – Beech. Sugar. Ash. Elm. W. Wood. Ironwd. Sycm. Maple. Hicky. Walnut. Spice &c –
N. 89°30' W.	Correction Betw. Sec. 17 & 20
19.39	a Beech 10 in. diam. –

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks.

40.10 Set Qr. Sec. post p. wh.
a Beech 10 in. diam. b. N. 29 E. 25 lks.
a Do 14 " " " S. 68 W. 36 "
61.10 an Ironwood 8 " "
80.20 to Sec. Cor.

S. 89° 30' W. On Random Betw. Sec. 18 & 19
41.50 a Stream 10 lks. wide co. North
79.40 Enter Field N. & S.
79.84 Intersected W. Boundary 10 lks. N. of post
Land Level first rate Clay Soil. Sugar. Beech. Ash. Elm. Maple. Oak. Walnut. W. Wood. Sycam. Ironwood. Hickory &c

---

N. 89° 30' E. Corrected Betw. Sec. 18 & 19
a Beech 16 in. diam. b. N. 70 W. 29 lks.
No other
20.63 a Sugar 18 in. diam.
39.84 Set Qr. Sec. post p. wh.
a Beech 10 in. diam. b. N. 48 W. 9 lks. &
a Do 10 " " " S. 28 E. 34 "
59.64 a Do 10 " "
79.84 to Sec. Cor.

North Between Sections 17 & 18
15.58 a Sugar 10 in. diam.
35.00 a Stream 10 lks. wide co. East
40.00 Set Qr. Sec. post p. wh.
a Sugar 10 in. diam. b. N. 62 W. 17 lks. dis.
a Buckeye 6 " " " S. 87 E. 27 " "
57.00 a Road N. N. W. from Canton to Kokomo.
62.43 a Beech 14 in. diam.
70.75 a Stream 50 lks. wide co. N. W.
72.00 Same " N. N. E.
76.50 Same " N. N. W.

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks.	
77.00	Ascend Bank 20 feet
80.00	Set post Cor. to Sec. 7. 8. 17. 18 fr. wh.
	a Beech 20 in. diam. brs. S 44 E. 24 lks.
	a Do 18 " " " N 40 E. 26 "
	Land rolling first rate
	Walnut, Sugar. Beech. Ash. W. Wood
	Hicky. Buckeye. Elm. Sycm. Ironwd. &c
N. 89° 30' E.	On Random Betw. Sec. 8 & 17
1.50	Enter Field N.W. & S.E.
8.00	Leave Do
80.14	Intersected N & S. Line 10 lks. S. of post
	Land level first rate Timber
	Sugar. Beech. Ash. Maple. Walnut,
	W. Wood. Hickory. Ironwd. Sycm.
	Buckeye &c.
S. 89° 30' W.	Corrected Betw. Sec. 8 & 17
20.12	a Cherry 7 in. diam.
40.07	Set qr. Sec. post fr. wh.
	a Beech 18 in. diam. brs. N 26 E. 29 lks.
	a Do 12 " " " S 29 W. 20 "
60.04	a Do 18 " "
80.14	to Sec. Cor. Jany. 16. 1847
S. 89° 30' W.	On Random Betw. Sec. 7 & 18
9.50	a Road from Canton to Kokomo
13.00	a Stream 50 lks. wide co. N.N.W.
15.00	Top of Bank 30 feet
67.00	a Stream 5 lks. wide co. S.
79.45	Intersected W. Boundy. 25 lks. S. of post
	Land level first rate Timber
	Sugar. Beech. Walnut, Ash. W. Wood.
	Hickory, Buckeye Oak. Elm. Ironwd. &c
N. 89° 30' E	Corrected Betw. Sec. 7 & 18.

T.23 N. R.4 E. 2nd Mer. Indiana

Ch. lks.	
	a Sugar 10 in. diam. bs. N.27 E. 21 lks. x
	a Beech 10 " " " S.31 E. 34 "
18.70	a Cherry 8 " "
39.45	Set 2d. Sec. post p. rol.
	a Beech 8 in. diam. bs. N.74 E. 18 lks. x
	a Do 7 " " " S.41 W. 11 "
51.25	a Do 8 " "
79.45	to Sec. Cor.

North	Between Sections 7 & 8
.50	Enter field Extends 3.00 W. & 10 E.
10.00	a House 5.00 East
12.50	Leave field
15.00	a Spring Brook 6 lks. wide co. W.
17.90	a Beech 14 in. diam.
40.00	Set 2d. Sec. post p. wh.
	a Beech 6 in. diam. bs. S.18 E. 33 lks. x
	a Do 6 " " " N.71 W. 54 "
57.30	a Do 9 " "
80.00	Set post Cor. to Sec. 5. 6. 7. 8. p. wh.
	a Beech 9 in. diam. bs. N.10 W. 20 lks.
	a Do 8 " " " S.64 E. 24 "
	Land rolling fine rate Sugar. Beech. Hickory. Lynn. Oak. Elm. Ash. Buckeye. Maple. W. Wood. Walnut. Ironwood. &c —

N.89.30 E.	On Random Betw. Sec. 5 & 8
74.00	Enter Swale
80.22	Intersected N & S. Line 15 lks. S. of post
	Land level fine rate clay soil. Beech. Sugar. Ash. Elm. W. Wood. Hicky. Lynn. Walnut. Ironwood. Maple. Buckeye &c

S.89.30 W.	Corrected Betw. Sec. 5 & 8

T. 23 N. R. 4 E. 2nd Mer. Indiana.

chs. lks.

19.10 an Ash 8 in. diam.
40.11 Set 2d. Sec. post p. wh.
a Beech 7 in. diam. be. North 15 lks.
a Do 14 " " " S. 9 E. 43 "
60.00 a B. Ash 8 " "
80.22 to Sec. Cor.

S. 89.30 W. On Random Betw. Sec. 6 & 7
58.00 a Road N. W. p. Canton to Kokomo.
79.20 Intersected W. Boundy. 25 lks. S. of post
Land Level first rate - Timber
Sugar. Beech. Elm. Ash. Oak. Hicky.
Sycm. Walnut. W. Wood. Buckeye.
Ironwood &c

N. 89.30 E. Corrected Betw. Sec. 6 & 7
a Beech 14 in. diam. S. 27 E. 15 lks.
a Sugar 14 " " N. 42 E. 10 "
19.10 a Hickory 14 " "
39.20 Set 2d. Sec. post p. wh.
a Beech 24 in. diam. N. 39 W. 22 lks.
a Do 14 " " N. 37 E. 47 "
59.80 a Sugar 14 " "
79.20 to Sec. Cor.

North Between Sections 5 & 6
19.54 a Buckeye 10 in. diam.
40.00 Set 2d. Sec. post p. wh.
an Elm 12 in. diam. S. 23 W. 13 lks. &
a Do 20 " " N. 80 E. 60 "
59.65 a Hicky. 10 " "
76.80 Intersected N. Boundy. at post p. wh.
a B. Oak 9 in. diam. S. 45 E. 11 lks.
a W. Ash 6 " " S. 7 W. 35 "
Land Level soil & timber
same as last mile - Jany. 17. 1847

T. 23 N. R. 4 E. 2nd Mer. Indiana.

Genl Description

The Southern part of this Town is level, Second rate Clay Soil— Timbered with W & B. Ash. Elm. Maple. Oak. Sycamore, W. Wood. Lynn. Cottonwd. &
The Centre or along the Stream, the Land is good rolling first rate— Timber Beech. Sugar. B. Walnut, Hicky. Buckeye &c
The Northern part is level first rate Land— Timber Beech. B. Walnut. Sugar. Lynn. W. Wood, Ironwd. & Buckeye Hickory &c —

I, John H. Mullett do solemnly swear that in pursuance of a Contract between Lucius Lyon Surveyor Genl. of the United States for the States of Ohio, Indiana, and Michigan; and John Mullett Depy. Surveyor And in strict conformity to the Laws of the United States, and the instructions of said Survr. Genl:— I have Surveyed & Subdivided into Sections T 23 N. R 4 E. in the State of Indiana— And I do further swear, that the foregoing are the true and Original Field Notes of said Survey & Subdivision; executed as aforesaid by me for John Mullett

John H. Mullett
Depy. Surveyor

Sworn & subscribed to before me this 17th day of March 1847

H. T. Backus
Justice of the Peace Wayne Co. Michigan

352.

I certify that the foregoing transcript of the Field notes of Town 23 N. R. 4 E. 2d Mr. Indiana, has been compared with the original notes in this office, and found to be correct,

Surveyor General's Office }
Detroit Nov. 1. 1849 }

Lucius Lyon
Sur. Genl.